

Meyer Burger Glass

370 - 390 Wp

For maximum stability and utilizing the full potential of the sun from all sides:
Bifacial heterojunction high-performance solar module with SmartWire Connection Technology (SWCTTM).



Made in Germany. Designed in Switzerland.

Production and development according to the highest quality standards.



Highly profitable

More energy yield over the same area even on cloudy or hot days.



Extremely durable

Outstanding cell stability and high breakage resistance thanks to patented SmartWire Connection Technology.



Consistently sustainable

Regional value creation, made without lead and produced using 100% renewable energy.



Guaranteed reliability

Industry-leading 30-year product and performance warranty.




Extremely aesthetic

Elegant Swiss design suitable for all roof shapes and sophisticated architecture.

Meyer Burger

Market average







rooftop











Mechanical specification

Dimensions [mm]	1722 x 1041 x 35
Weight [kg]	24.4
Front cover	Tempered solar glass, 2.0 mm, with anti-reflective surface
Back cover	Solar glass, 2.0 mm
Frame	Black anodized aluminum
Solar cell type	120 half-cells, mono n-Si, HJT with SWCT™ bifacial cell technology
Junction boxes	3 diodes, IP68 rated in accordance with IEC 62790
Cable	PV cable 4 mm², 1.2 m length in accordance with EN 50618
Connectors	MC4-Evo2 in accordance with IEC 62852, IP68 rated only when connected

Packages









Γ**%** 1







pallets

Delivery by container or truck. For truck freight, 0.76 loading meters per pallet and stacking factor 2 apply.

00+2

1041 ___17 8x3.5 (8x) Drainage holes 115 Grounding holes Cable length

Electrical specification¹

Power class in STC ²			370	-	375		380		385		390	
Minimum performance (powe	r tolerance -0 W/	/+5 W)	STC	NMOT ³	STC	NMOT	STC	NMOT	STC	NMOT	STC	NMOT
Power at MPP	P_{mpp}	[W]	370	284	375	286	380	291	385	295	390	296
_ Short circuit current	I _{sc}	[A]	10.4	8.4	10.4	8.4	10.5	8.5	10.6	8.6	10.7	8.6
Open circuit voltage	V _{oc}	[V]	44.5	41.9	44.6	42.0	44.7	42.1	44.7	42.1	44.7	42.1
Current at MPP	I _{mpp}	[A]	9.9	8.0	9.9	8.0	10.0	8.1	10.1	8.2	10.2	8.2
Voltage at MPP	V_{mpp}	[V]	37.7	35.5	37.9	35.7	38.1	35.9	38.2	36.0	38.3	36.1
Efficiency	η	[%]	20.6		20.9		21.2		21.5		21.8	

Directerity rector	70±2								
Power with rear irradiation [W/m²]4.5	$P_{max}[W]$	I _{sc} [A]	P _{max} [W]						
Bifi50	386	10.9	391	10.9	396	11.0	401	11.1	406
Bifi100	403	11.3	408	11.3	413	11.4	418	11.5	423

Bifi50	386	10.9	391	10.9	396	11.0	01	11.1	406	11.2
Bifi100	403	11.3	408	11.3	413	11.4	18	11.5	423	11.6
BSTC ⁵	414	11.6	419	11.6	424	11.7 4	29	11.8	434	11.9
Bifi200	436	12.2	441	12.2	446	2.3	.51 1	12.4	456	12.5
Bifi250	452	12.7	457	12.7	462	2.8 4	67 -	12.9	472	13.0


Temperature coefficients

Rifaciality factor

Temperature coefficient of I _{SC}	α	[%/K]	+0.033	
Temperature coefficient of V _{OC}	β	[%/K]	-0.234	
Temperature coefficient of P _{MPP}	γ	[%/K]	-0.259	
Nominal Module Operating Temperature	NMOT ³	[°C]	43+2	

The temperature coefficients stated are linear values.

I-V curves at different irradiations



Properties for system design

Max. system voltage	[V]	1500
Overcurrent protection rating	[A]	25
Max. test load $+/-$ (safety factor for test load = 1.5)	[Pa]	6000/4000
Max. design load +/-	[Pa]	4000/2666
Safety class		II
Fire type (UL 61730)		29
Fire class (EN 13501-1 / DIN 4102-1)		B/B1
Operation temperature	[°C]	-40 to +85

Meyer Burger warranty



Certificates

Certification

IEC 61215:2016, IEC 61730:2016, UL 61730-1, UL 61730-2, PID (IEC 62804)

Certification (pending)

Salt Mist (IEC 61701), Ammonia Resistance (IEC 62716), Dust & Sand (IEC 60068)

Notice: All data and specifications are preliminary and subject to change without notice. Visit us at meyerburger.com

Test procedure according to IEC standard



¹Measurement according to IEC 60904-3, measurement tolerance: ±3%, monofacial measuremen with rear side covered with rear side covered \$\footnote{1}\$ module temperature 25°C, AM1.5G spectrum \$\footnote{1}\$ STC, Irradiance with invadiance 800 W/m², module temperature, with irradiance 800 W/m², AM1.5G spectrum, \$\footnote{1}\$ Module Operating Temperature, with irradiance 800 W/m², AM1.5G spectrum, \$\footnote{1}\$ ACCORDING to ECT 56.0904.1-2, with hear irradiances of 50, 100, 200 and 250 W/m² \$\footnote{1}\$ According to TLIV 2 PIG 2645/11.17, with a rear irradiance of 135 W/m² ording to IEC 60904-3, measurement tolerance: ±3%, monofacial measurement

ا_{يد}[A]